

PRODUCT INFORMATION

PROCESS ANALYSIS
ELECTROCHEMISTRY



3798-S sc: digital inductive conductivity sensor.

- **Proven sensor with digital technology**
- **Inductive sensor for heavily soiled media**
- **Factory-calibrated**
- **Plug and play with SC controllers**

Especially for soiled water.

The 3798-S sc sensor is based on the non-contact, inductive measuring technique. It is therefore particularly suitable for heavily soiled media such as municipal and industrial wastewater, and also for polluted surface water and drinking water. Its particularly resistant PEEK housing makes the sensor lastingly resistant.

The 3798-S sc sensor offers many advantages.

The 3798-S sc sensor comes already calibrated from the factory and can be used immediately. Calibration is also not necessary after several months' operation. In combination with the SC controllers, the 3798-S sc sensor can be combined with a further HACH LANGE SC sensor as required. Furthermore, digital data transmission provides a high level of reliability in operation.



LANGE 

UNITED FOR WATER QUALITY

Technical data.

Measuring method	Inductive
Temperature sensor	PT100
Measuring range	250 μ S/cm ... 2.5 S/cm
Temperature measuring range	-5 ... +60 °C
Response time, measured value	T90 <15 s
Response time, temperature	T90 2 min.
Temperature compensation	Automatic or manual
Calibration	Manual 1 point or electrical
Max. flow velocity at the sensor	4 m/s
Sample temperature	-5 ... 50 °C
Max. sample pressure	2 bar over-pressure
Materials in contact with the sample	Stainless steel, PPS, PEEK
Data transmission	Digital to SC 100 or SC 1000 controllers
Weight	Approx. 1 kg
Dimensions	42 mm x 360 mm (D x L)
Sensor cable	10 m, with encapsulated IP 68 connector, can be extended

Ordering information.

3798-S sc sensor	LXV428.99.00001
Tank edge fastening for sensors (1")	LZX914.99.xx200

SPARE PARTS AND ACCESSORIES

Electrically calibrated	LZX985
-------------------------	--------

HACH LANGE services:


Orders, information and consultation without delay:
Tel. 0 12 56 33 34 03



Support on-site by expert sales team.



www.hach-lange.com - up-to-date and secure, with downloads, information and shop.



HYXO
Part of WEST Invest Group

**DR. BRUNO LANGE
GMBH & CO. KG**
Willstätterstraße 11
D-40549 Düsseldorf
Tel. +49 (0)2 11 52 88-0
Fax +49 (0)2 11 52 88-143
info@hach-lange.de
www.hach-lange.com

HACH LANGE LTD
Lennox Road
Basingstoke
Hampshire, RG22 4AP
Tel. +44 (0)12 56 33 34 03
Fax +44 (0)12 56 33 07 24
info@hach-lange.co.uk
www.hach-lange.com

Sortilantie 5
04260 Kerava
Puh. 010 417 4500
hyxo@hyxo.fi
www.hyxo.fi



LANGE